

Nitto 21 PVC tape 25mm x 20m



Electrical isolation Colour coding Cable bundling Corrosion prevention

Features

- Excellent specification for adhesion strength, unwind force and film flexibility
- Elastic (memory), excellent elongation properties
- Excellent sealing properties against water penetration, increases chemical and electrical resistance as well as bending properties
- Thickness 0,19mm and is an ideal tape for a wide range of applications
- Excellent weather resistance, can be used outside
- Resistant to oils, acids and alkalines

Nitto 21 PVC tape 25mm x 20m

Specifications

Film type	(soft) PVC
Thickness	0.19mm
Adhesive type	synthetic rubber based
Adhesion to 2B steel	1.85N / 10mm
Adhesion to backing	1.75N / 10mm
Tensile strength at break	193N/10mm ²
Elongation at break	219%
Electrical strength	9.5kV (50 kV/mm)
Min. application temperature	- 10°C
Operating temperature	-40°C till +90°C

Nitto 21 PVC tape 25mm x 20m

More info

Other colours and dimensions on request

<http://filoform.co.uk/nitto-tape>

Products

Art.nr.	Product Name	Dimensions	Colour	Order unit
800350.1UK	Nitto tape 21, 25mm x 20m black	25mm x 20m x 0,19mm	black	128 pcs/carton
800350.2UK	Nitto tape 21, 25mm x 20m blue	25mm x 20m x 0,19mm	blue	128 pcs/carton
800350.3UK	Nitto tape 21, 25mm x 20m green	25mm x 20m x 0,19mm	green	128 pcs/carton
800350.4UK	Nitto tape 21, 25mm x 20m red	25mm x 20m x 0,19mm	red	128 pcs/carton
800350.5UK	Nitto tape 21, 25mm x 20m transparent	25mm x 20m x 0,19mm	transparent	128 pcs/carton
800350.6UK	Nitto tape 21, 25mm x 20m yellow	25mm x 20m x 0,19mm	yellow	128 pcs/carton
800350.7UK	Nitto tape 21, 25mm x 20m white	25mm x 20m x 0,19mm	white	128 pcs/carton
800350.8UK	Nitto tape 21, 25mm x 20m grey	25mm x 20m x 0,19mm	grey	128 pcs/carton
800350.9UK	Nitto tape 21, 25mm x 20m yellow/green	25mm x 20m x 0,19mm	yellow/green	128 pcs/carton