

# Nitto 21 PVC tape 38mm x 20m



Electrical isolation Colour coding Cable bundling Corrosion prevention

## Features

- Excellent specification for adhesion strength, unwind force and film flexibility
- Elastic (memory), excellent elongation properties
- Excellent sealing properties against water penetration, increases chemical and electrical resistance as well as bending properties
- Thickness 0,19mm and is an ideal tape for a wide range of applications
- Excellent weather resistance, can be used outside
- Resistant to oils, acids and alkalines

# Nitto 21 PVC tape 38mm x 20m

## Specifications

Film type	(soft) PVC
Thickness	0,19mm
Adhesive type	synthetic rubber based
Adhesion to 2B steel	1,85N / 10mm
Adhesion to backing	1,75N / 10mm
Tensile strength at break	193N/10mm <sup>2</sup>
Elongation at break	219%
Electrical strength	9,5kV (50 kV/mm)
Min. application temperature	- 10°C
Operating temperature	-40°C till +90°C

# Nitto 21 PVC tape 38mm x 20m

## More info

Other colours and dimensions on request

<http://filoform.co.uk/nitto-tape>

## Products

Art.nr.	Product Name	Dimensions	Colour	Order unit
80467UK	Wrap-around tape 38mm x 20m transparent	38mm x 20m x 0,19mm	transparent	64 pcs/carton
800450.1UK	Nitto tape 21, 38mm x 20m black	38mm x 20m x 0,19mm	black	moq 768 pcs
800450.2UK	Nitto tape 21, 38mm x 20m blue	38mm x 20m x 0,19mm	blue	moq 768 pcs
800450.4UK	Nitto tape 21, 38mm x 20m red	38mm x 20m x 0,19mm	red	moq 768 pcs
800450.6UK	Nitto tape 21, 38mm x 20m yellow	38mm x 20m x 0,19mm	yellow	moq 768 pcs
800450.7UK	Nitto tape 21, 38mm x 20m white	38mm x 20m x 0,19mm	white	moq 768 pcs
800450.8UK	Nitto tape 21, 38mm x 20m grey	38mm x 20m x 0,19mm	grey	moq 768 pcs
800450.9UK	Nitto tape 21, 38mm x 20m yellow/green	38mm x 20m x 0,19mm	yellow/green	moq 768 pcs
800450.12UK	Nitto tape 21, 38mm x 20m orange	38mm x 20m x 0,19mm	orange	moq 768 pcs