

Sealing caps



Filoform sealing caps have been developed to provide an effective and simple solution to all splash water and dirttight sealing requirements in HDPE ducts and protective sleeves.

The sealing caps are standard dirt and splash watertight. After mounting with sealing compound Filoform Fill & Seal (art.nr. 80840) the Filoform sealing plugs easily exceed the specifications of NEN 2768.

The Filoform sealing caps are made from a high quality TPE, this material has a hardness of 40 Shore A.

Features

- Splash water and dirttight sealing
- Formed from one part
- Easy to install
- Durable sealing
- made from high quality TPE



Specifications

- Material : TPE
- Hardness : 40 Shore A

More info

After installing with sealing compound Filoform Fill & Seal (art.nr. 80840) or Fire & Water seal (art.nr. 80845) the Filoform sealing plugs easily exceed the specifications of NEN 2768

Products

Art.nr.	Product Name	Duct diameter min.-max. (mm)	Maximum cable diameter in the duct (mm)	Order unit
7822613	Sealingcap type13 HDPE40 / 5x10mm	N/A	5x10mm	40 pcs/carton
7822615	Sealingcap type14 HDPE40 / 4x10-12mm	N/A	4x10-12mm	10 pcs/carton
7822616	Sealingcap type15 HDPE/FLEX40	N/A	closed end cap (4x10mm)	25 pcs/carton
7822617	Sealingcap type16 HDPE16 / 2x4mm	N/A	2x4mm	10 pcs/carton
7822510	Sealingcap HDPE50 / 5x12mm + 2x12mm	N/A	5x12mm + 2x12mm	25 pcs/carton