

# Divisible duct seals 25mm



Filoform divisible duct sealing sets for subducts have been developed to provide an effective and simple solution to all Gas and Watertight duct sealing requirements.

This modular system enables you to install it easily onto new and existing installations. Due to the compact design the seals can be installed in all situations, even in locations with difficult access.

For use on subducts of 25mm.


PATENTED

## Features

- Gas and Watertight up to 0,5 bar.
- Suitable for retrofitting.
- Easy installation.
- Slim design.
- Other versions available upon request.

# Divisible duct seals 25mm

## Specifications



## Dimensions

Type	Dimension A	Dimension B	Weight (gr.)
25mm	40	37	26

## Material specification



Plastic scales	glassfibre reinforced
Sealing plug	TPU
Sealing	up to 0,5 bar
Pull-out force duct seal vs duct	$\geq 250\text{N}$
Mechanical compression strength	$\geq 1000\text{N}$ , 10 sec.

# Divisible duct seals 25mm

## More info

### Contents

- 2 pieces of plastic shells with click together fixings
- 1 Synthetic rubber seal
- Illustrated installation instructions



# Divisible duct seals 25mm

## Products

Art.nr.	Product Name	Colour	Duct outside diameter (mm)	Cable Diameter (mm)	Order unit
7822825.2	Duct seal 25mm/3,7-4,7 mm	grey	25	3,7-4,7	25 pcs/carton
7822825.3	Duct seal 25mm/4,7-6,5 mm	pink/blue		4,7-6,5	25 pcs/carton
7822825.4	Duct seal 25mm/6,5-8,5 mm	white		6,5-8,5	25 pcs/carton
7822825.5	Duct seal 25mm/8,5-10 mm	red		8,5-10	25 pcs/carton
7822825.6	Duct seal 25mm/10-12 mm	green		10-12	25 pcs/carton
7822825.7	Duct seal 25mm/12-14 mm	yellow		12-14	25 pcs/carton